Pain Episode Frequency and Severity Measure

Please respond to each question or statement by marking one box.

PainEpisodeQ1	In the past 12 months, how many sickle cell pain attacks (crises) days did you have?
□ X	I did not have a pain attack (crises) in the past 12 months
	•
2	
3] 3
4	i of more
PainEpisodeQ2	When was your last pain attack (crisis)?
□ x	
	More than 5 years ago
2	l 1-5 years ago
3	7-11 months ago
4	1-6 months ago
5	1-3 weeks ago
6	Less than a week ago
7	

$\mathsf{ASCQ}\text{-}\mathsf{Me}^{\circledR}\,\mathsf{v}2.0$ Pain Episode Frequency and Severity Measure

PainEpisodeQ3	Using any number from 0 to 10, where 0 is no pain and 10 is the worst pain imaginable, how severe was your pain during your last pain attack (crisis)?
0	l No pain
1	l ₁
2	
3	1 3
4	l 4
5	l 5
6	l 6
7	,
8	1 8
9] 9
10	
X	I've never had a pain attack (crisis)
PainEpisodeQ4	How much did your last pain attack (crisis) interfere with your life?
X	I've never had a pain attack (crisis)
1	Not at all, I did everything I usually do
2	I had to cut down on some things I usually do
3	I could not do most things I usually do
4	I could not take care of myself and needed some help from family or friends
5	I could not take care of myself and needed constant care from family, friends, doctors, or nurses

PainEpisodeQ5	About how long did your most recent pain attack (crisis) last?
X	I've never had a pain attack (crisis)
1	Less than 1 hour
2	1-12 hours
3	13-23 hours
4	1-3 days
5	4-6 days
6	1-2 weeks
7	More than 2 weeks