Pain Interference

Please respond to each item by marking one box per row.

,		Not at all	A little bit	Somewhat	Quite a bit	Very much
PAININ1	How difficult was it for you to take in new information because of pain?		2	3	4	5
PAININ3	How much did pain interfere with your enjoyment of life?		2 2		\square 4	□ 5
PAININ5	How much did pain interfere with your ability to participate in leisure activities?		□2	□3	☐ 4	□5
PAININ6	How much did pain interfere with your close personal relationships?		2 2		☐ 4	□ 5
PAININ8	How much did pain interfere with your ability to concentrate?		2 2		☐ 4	□ 5
PAININ9	How much did pain interfere with your day to day activities?		2 2		\square 4	□ 5
PAININ10	How much did pain interfere with your enjoyment of recreational activities?		2 2	□ 3	□ 4	□ 5

,	1 v	Not at all	A little bit	Somewhat	Quite a bit	Very much
PAININ11	How often did you feel emotionally tense because of your pain?		2	□ 3	\square 4	5
PAININ12	How much did pain interfere with the things you usually do for fun?		□2	□ 3	□4	□ 5
PAININ13	How much did pain interfere with your family life?		□2			□ 5
PAININ17	How much did pain interfere with your relationships with other people?			□ 3	□4	□ 5
PAININ18	How much did pain interfere with your ability to work (include work at home)?			□ 3	[] 4	□ 5
PAININ19	How much did pain make it difficult to fall asleep?		2 2	3	4	□5
PAININ20	How much did pain feel like a burden to you?	[] 1	2	3	4	□5
PAININ22	How much did pain interfere with work around the home?		□ 2		\square 4	□ 5

		Not at all	A little bit	Somewhat	Quite a bit	Very much
PAININ31	How much did pain interfere with your ability to participate in social activities?		2	3	4	5
PAININ34	How much did pain interfere with your household chores?		2 2	— 3	□ 4	□ 5
PAININ35	How much did pain interfere with your ability to make trips from home that kept you gone for more than 2 hours?		2 2	□ 3	□ 4	5
PAININ36	How much did pain interfere with your enjoyment of social activities?		2 2	 3	4	5
PAININ48	How much did pain interfere with your ability to do household chores?		2 2		4	 5
PAININ49	How much did pain interfere with your ability to remember things?		2	3	□ 4	□ 5
PAININ56	How irritable did you feel because of pain?		2		4	 5
PAININ14	How much did pain interfere with doing your tasks away from home (e.g., getting groceries, running errands)?	\square	2		□ 4	 5

	In the past / days	Never	Rarely	Sometimes	Often	Always
PAININ16	How often did pain make you feel depressed?		2	□	— 4	— 5
PAININ24	How often was pain distressing to you?		□ 2	\square 3		□ 5
PAININ26	How often did pain keep you from socializing with others?		□2		4	 5
PAININ29	How often was your pain so severe you could think of nothing else?		2			5
PAININ32	How often did pain make you feel discouraged?		2 2	□ 3		5
PAININ37	How often did pain make you feel anxious?					□ 5
PAININ38	How often did you avoid social activities because it might make you hurt more?		□ 2			□ 5
PAININ40	How often did pain prevent you from walking more than 1 mile?		□2	\square 3	\square	□ 5
PAININ42	How often did pain prevent you from standing for more than one hour?		□2	□	\Box_4	□ 5

		Never	Rarely	Sometimes	Often	Always
PAININ46	How often did pain make it difficult for you to plan social activities?		2	3	4	5
PAININ47	How often did pain prevent you from standing for more than 30 minutes?		\square	\square	□ 4	□ 5
PAININ50	How often did pain prevent you from sitting for more than 30 minutes?		2	3	4	5
PAININ51	How often did pain prevent you from sitting for more than 10 minutes?		□2	3	4	5
PAININ52	How often was it hard to plan social activities because you didn't know if you would be in pain?		\square_2	\square	□ 4	5
PAININ53	How often did pain restrict your social life to your home?		\square	\square	□ 4	5
PAININ55	How often did pain prevent you from sitting for more than one hour?		\square ₂	 3	4	5
	In the past 7 days	Never	Once a week or less	Once every few days	Once a day	Every few hours
PAININ54	How often did pain keep you from getting into a standing position?		2		4	5